

LINTED NY STREE REPEAR MENT OF COMMER Casted State Patient and Tenderstre, Office Advances COMMENSIONER FUR PATENTS PO Host 169 Mountles, Organ 22013 1446

APPLICATION NO	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/037.702	01/03/2002	Forg Geo	485800141DVA	7740
33264	7590 06042004		EXAMINER	
VALENCE TECHNOLOGY, INC. 301 CONESTOGA WAY			TSANG POSTER, SUSY N	
HENDERSON, NV 89015			ART UNIT	PAPER NUMBER

DATE MAH.ED 05/04/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Advisory Action	10/037,702	GAO ET AL.	
Advisory Action	Examiner	Art Unit	
	Susy N Tsang-Foster	1745	
-The MAILING DATE of this communication appe	ars on the cover sheet with the o	orrespondence add	iress -
THE REPLY FILED 24 May 2004 FAILS TO PLACE TH Therefore, further action by the applicant is required to a final rejection under 37 CFR 1.113 may gain, be either; condition for allowance; (2) a timely filed Notice of Appe Examination (RCE) in compliance with 37 CFR 1.114.	void abandonment of this appli	cation. A proper re ch places the appli	ply to a cation in
	PLY [check either a) or b)]		
a) Sin he pesicol for regly segites glimoths from the melting date of the Andreas d	isory Action, or (2) the date set forth in the an SIX MONTHS from the mailing date or FILED WITHIN TWO MONTHS OF THE to on which the petition under 37 CFR 1: also and the corresponding emount of the statutory extend for resty ordinally set in	f the final rejection. E FINAL REJECTION.: (35(a) and the appropriate of ee. The appropriate ex the final Office action; or	See MPEP te extension fee dension fee under (2) as set forth in
 A Notice of Appeal was filed on Appellant' 37 CFR 1.192(a), or any extension thereof (37 CF 	R 1.191(d)), to avoid dismissal	period set forth in of the appeal.	
 The proposed amendment(s) will not be entered be 			
(a) they raise new issues that would require furth		see NOTE below);	
(b) they raise the issue of new matter (see Note)			
 (c) they are not deemed to place the application issues for appeal; and/or 			
(d) they present additional claims without cancel NOTE;	ling a corresponding number of	finally rejected clai	ms.
 Applicant's reply has overcome the following rejection. 			
 Newly proposed or amended claim(s) would canceling the non-allowable claim(s). 			
 The a) affidavit, b) exhibit, or c) request for application in condition for allowance because: 	r reconsideration has been con	sidered but does N	OT place the
 The affidavit or exhibit will NOT be considered be raised by the Examiner in the final rejection. 	cause it is not directed SOLELY	to issues which we	ere newly
7. For purposes of Appeal, the proposed amendmen explanation of how the new or amended claims w			and an
The status of the claim(s) is (or will be) as follows:			
Claim(s) allowed:			
Claim(s) objected to:			
Claim(s) rejected: 16.			
Claim(s) withdrawn from consideration:			
8. The drawing correction filed on is a) app			
 Note the attached Information Disclosure Stateme 	nt(s)(PTO-1449) Paper No(s).		
10. Son Continuation Sheet			

Application No.

Applicant(e)

-Continuation Sheet (PTOL-303) Application No. 110/037.702

Continuation of 3. Applicant's reply has overcome the following rejection(s). The previous rejections under 35 USC 112 2nd paragraph are withdrawn in view of applicant's amendment.

Continuation of 10.0 htm. The annualment field on \$24,0004 was entered because it appeared to simplify the issues for appeal although date fill is a shweetingly written. In call fill, the present states "A marked for percentage leaves to workshape to an endochartenical breakdown vallage as an effective charge call continuation and endochartenical breakdown vallage as an effective charge call continuation and endochartenical breakdown vallage. The Examiner is histographic glaim the as a method for preventing breakdown and a linkum endo and call called such data. We describe an effective charge called the such as a second of preventing breakdown and a silvam endochartenic size by overcharge to an effective charge called the such as a second for preventing breakdown of a silvam endochartenic size of such as a second for preventing breakdown and activation and activation of a silvam endochartenic size of such as a second of a silvam endochartenic and endochartenic size of such as a second of a silvam endochartenic size of such as a second of a silvam endochartenic size of such as a second of a silvam endochartenic size of such as a second of a silvam endochartenic size of such as a second of a silvam endochartenic size of such as a second of a silvam endochartenic size of such as a second of a silvam endochartenic size of such as a second of a silvam endochartenic size of such as a second of a silvam endochartenic size of such as a second of a silvam endochartenic size of such as a second of a silvam endochartenic size of such as a second of a silvam endochartenic size of such as a second of a silvam endochartenic size of such as a second of a silvam endochartenic size of such as a second of a silvam endochartenic size of such as a second of a silvam endochartenic size of such as a second of a silvam endochartenic size of such as a second of a silvam endochartenic size of such as a second of a silvam endochartenic size of such as a second of silvam endochartenic size of such as a second of silvam endochartenic size

Claim 16 reminists rejected under 30 U.S.C. 10(0) as inhosphed by or, in the affermative, under 30 U.S.C. 10(0) as obvoice over file et al. (10 Fe/Hz). So (555-55) for reasons specing not produced from the previous final efficience. As statisfied in prograph 6 of the previous file of the control, as detailed in prograph 6 of the previous file of the control, as detailed in prograph 6 of the previous file of the control of

Any inquiry concerning this communication or earlier communications should be directed to examiner Susy Tsang-Foster, Ph.D. whose telephone number is (571) 272-1293. The examiner can normally be reached on Monday through Friday from 9.30 AM to 6.00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Ryan can be reached at (571) 272-1292.

The fix phone number for the organization where this application or proceeding is assigned in (703) 872-8906. Information regarding the status or an agrication may be obtained from the Park Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for public PAIR or Public PAIR. Status information for public PAIR or public P

51 Sung Long Footh

Susy Tsang-Foster Primary Examiner Art Unit 1745